



Tender Notice

Sealed quotations (mentioning the tender ref. no along with the last date of submission of the tender on the envelope) are invited from the reputed manufacturers, suppliers and vendors for **Repairing/servicing of Horizontal Laminar Air Flow (size: 2x2x2 feet), Details work: Complete servicing, HEPA filter change, Microbial filter change,** for Department of Bio-Medical Laboratory Science and Management, Vidyasagar University. The quotations are to be submitted only to the **PI/HOD, Department of Bio-Medical Laboratory Science and Management, Vidyasagar University, Paschim Medinipore- 721102. Last date of submission of quotation is on 18.12.2025.**

Eligibility criterion of participation in the tender:

- Bonafide, resourceful and reliable Vendors.
- An undertaking should be given stating thereby that the firm has not been debarred or penalized for any reasons out of work by any Government Department.
- Subletting of suppliers is strictly prohibited.
- The prospective bidders must have valid upto date clearance of Income Tax return, Professional Tax clearance certificate, P. Tax (Deposit Challan), Trade License, PAN Card, GST registration certificate. (Enclose latest copies).
- The suppliers who have been delisted or debarred by any government department shall not be eligible in any way.
- Past performance for vender will be judged (please attached three largest clients other than the Vidyasagar University).
- Rate is to be inclusive of all taxes and transport charges etc.
- The University reserves the right to accept or reject any quotation without assigning any reason whatsoever.
- Tender remains valid for six months.


H/12/25
Prof. Sandip Chattopadhyay
Head
Dept. of Bio-Medical Laboratory
Science & Management
Vidyasagar University
Midnapore-721102



Details specifications are given below:
Statement showing the Specifications and quantity

Sl. No.	Name of the items	Specification	Quantity
01	Repairing/servicing of Horizontal Laminar Air Flow, Size: 2x2x2 feet.	Details work: complete servicing, HEPA filter change, Microbial filter change	01


11/12/25
PI/HOD

Department of Bio-Medical Laboratory Science and management

Prof. Sandip Chattopadhyay
Head
Dept. of Bio-Medical Laboratory
Science & Management
Vidyasagar University
Midnapore-721102