



**VIDYASAGAR UNIVERSITY**  
MIDNAPORE ★ WEST BENGAL ★ PIN 721102

Ref. No. VU/Tender/Micro/ 07/24

Dated- 31/07/2024

**Tender Notice**

Sealed quotations (mentioning the tender ref. no along with the last date of submission of the tender on the envelope) are invited from the reputed manufacturers, suppliers and vendors for infrastructure development (AC machine) for Department of Microbiology (Under project grant) of the Vidyasagar University. The quotations are to be submitted only to the **HOD, Department of Microbiology, Vidyasagar University, Paschim Medinipore- 721102. Last date of submission of quotation is on 16.08.24**

**Eligibility criterion of participation in the tender:**

- a) Bonafide, resourceful and reliable Vendors.
- b) An undertaking should be given stating thereby that the firm has not been debarred or penalized for any reasons out of work by any Government Department.
- c) Subletting of suppliers is strictly prohibited.
- d) The prospective bidders must have valid upto date clearance of Income Tax return, Professional Tax clearance certificate, P. Tax (Deposit Challan), PAN Card, GST registration certificate. (Enclose latest copies).
- e) The suppliers who have been delisted or debarred by any government department shall not be eligible in any way.
- f) Past performance for vendor will be judged (please attached three largest clients other than the Vidyasagar University).
- g) Rate is to be inclusive of all taxes and transport charges etc.
- h) The University reserves the right to accept or reject any quotation without assigning any reason whatsoever.
- i) Tender remains valid for six months.

Fax : (91) 03222 – 275329/275297/263206

Email : [Vidya295@mail.vidyasagar.ac.in](mailto:Vidya295@mail.vidyasagar.ac.in) // Website : <http://www.vidyasagar.ac.in>



**VIDYASAGAR UNIVERSITY**  
MIDNAPORE ★ WEST BENGAL ★ PIN 721102

Details specifications are given below:  
**Statement showing the Specifications and quantity**

Sl. No.	Name of the items	Specification	Quantity
01	AC Machine	Supply of 2.0 TR, 3 star fully copper condenser window A.C VOLTUS make (quote with standard installation charge)	1
02	AC Machine	Supply of 1.0 TR, 3 star fully copper condenser window A.C VOLTUS make (quote with standard installation charge)	1

HOD/PI

Department of Microbiology

**Dr. Keshab Chandra Mondal, Ph. D**  
Professor  
Department of Microbiology  
Vidyasagar University  
Midnapore- 721102, West Bengal, India